PAT-NO:

JP02000319657A

DOCUMENT-IDENTIFIER: JP 2000319657 A

TITLE:

SOIL IMPROVING NS TOP.

PUBN-DATE:

November 21, 2000

INVENTOR-INFORMATION:

NAME

COUNTRY

IGARASHI, KIMIE

N/A

ASSIGNEE-INFORMATION:

COUNTRY

IGARASHI KIMIE

N/A

APPL-NO:

JP2000237699

APPL-DATE:

July 3, 2000

INT-CL (IPC): C09K017/34, C09K017/20, C09K017/44, C09K017/48 , E02D003/12

#### ABSTRACT:

PROBLEM TO BE SOLVED: To provide a technique for preventing the instability of soil surface by rain water and the like and furthermore, increasing the strength.

SOLUTION: An asphalt emulsion is sprayed on to soil surface and subsequently, a mixed product of water, cement, and an EVA based polymeric adhesion booster is sprayed thereon. Spraying of the asphalt emulsion onto the surface of soil can prevent the instability of the soil surface by rain water and the like and, in addition, spraying of the mixed product of water, cement,

an EVA polymeric adhesion booster increases the strength of the soil surface.  $\,$ 

COPYRIGHT: (C)2000,JPO

#### (19)日本国特許庁 (JP)

## (12) 公開特許公報(A)

(11)特許出顧公開番号 特開2000-319657 (P2000-319657A)

(43)公開日 平成12年11月21日(2000.11.21)


(51) Int.CL'		識別記号		ΡI			テーマコード(参考)		
C09K	17/34				C09K	17/34	ļ	P	
	17/20					17/20	)	P	
	17/44					17/44	ļ	P	
	17/48					17/48	:	P	
E02D	3/12	103			E02D	3/12		103	
			審查謝求	有	請求項の数1	書面	公開謝求	(全 2 頁)	最終頁に続く
(21)出資番号		特顧2000-237699(P2000-237699)		(71)出題人 500068425					
						五	十嵐 紀美	枝	
(22)出顧日		平成12年7月3日(2000.7.3)				京	部府京都市	上京区新町通	寺之内上る2丁
						目	<b>置证明463</b> —	-11番地	
		•			(72)発明	者五	十嵐 紀美	枝	
						京	部府京都市	上京区新町通	寺之内上る2丁
						目	道正町463-	-11番地	
		•							
							_		

#### (54) 【発明の名称】 土壌改良NSトップ

#### (57)【要約】

[課題] 雨水等による土壌表面の不安定を防ぎさらに強度を増す工法。

[解決手段] 土壌表面にアスファルト乳剤を散布した 後、水、セメント、EVA系高分子接着増強剤を混合し た物を散布する。



【特許請求の範囲】

【請求項1】 土壌の表面にアスファルト乳剤を散布 後、水、セメント、EVA系高分子接着増強剤を混合し た物を散布した土壌改良工法

#### 【発明の詳細な説明】

本発明は土壌の表面にアスファルト乳剤を散布する事で 雨水等による土壌表面の不安定を防ぎ、さらに、水、セ


メント、EVA系高分子接着増強剤を混合した物を散布 し、土壌表面の強度増した工法。

#### 【図面の簡単な説明】


【図1】 土壌の表面の上にアスファルト乳剤を散布す

【図2】アスファルト乳剤を散布した後に、水、セメン ト、EVA系高分子接着増強剤を混合したものを散布

【図1】



【図2】



フロントページの続き

(51) Int. Cl. 7

識別記号

FΙ

テーマコード(参考)

// C09K 103:00

# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

### **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

## IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.